

RECEIVED
CENTRAL FAX CENTER

JUL 20 2007



The Gates Corporation
1551 Wewatta Street
Denver, CO 80202

FAX COVER SHEET

Date: July 20, 2007

TO: Examiner S. Kruer

FAX: 571-273-8300

From: Jeffrey Thurnau
Patent Counsel

Phone: (303) 744-4743

Fax: (303) 744-4653

Number of pages including cover sheet: 24

SERIAL NO.: 10/037,427

DOCKET NO.: B01-085A

FILED: JANUARY 2, 2002

TITLE: LIFT BELT AND SYSTEM

RESPONSE TO: Office Communication Mailed on May 4, 2007

ATTACHMENTS INCLUDE: ARGUMENT - 18 PAGES

COPY OF ISO REFERENCE No.
ISO 9981: 1998(E) "BELT DRIVES -
PULLEYS AND V-RIBBED BELTS FOR
THE AUTOMOTIVE INDUSTRY - PK
PROFILE: DIMENSIONS" - 3 PAGES

AFFIDAVIT OF SEDLACEK, 37 CFR § 1.132
- 3 PAGES

PLEASE NOTE: The information contained in this facsimile is privileged and confidential and is intended only for the use of the individual named above and others who have been specifically authorized to receive it. If the one receiving it is not the intended recipient, you are hereby notified that any dissemination, distribution or copy of this communication is strictly prohibited. Thank you.

RECEIVED
CENTRAL FAX CENTER

DOCKET NO. B01-085A

JUL 20 2007

I hereby certify that this correspondence is being
submitted by fax transmission to 571-273-8300
on July 20, 2007 for The Gates Corporation
Signature [Signature] Date signed: July 20, 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
Heinz, Guenther)	Examiner: Kruer, Stefan
)	Group Art Unit: 3654
Serial No.: 10/037,427)	
)	
Filed: 01/02/2002)	ARGUMENT and
For: Lift Belt and System)	AFFIDAVIT

Via Fax Transmission
Commissioner for Patents
Alexandria, VA 22313

Dear Examiner Kruer:

This is filed in response to the non-final office action mailed 05/04/2007. The Examiner notes in the present office action that page 8 of the prior office action was inadvertently omitted. The Applicant appreciates the Examiner allowing the opportunity to respond, and as such the Applicant has responded to the omitted rejection under IV. Remarks, item #11 below.

With the addition of McKay the references now stand at 15, and yet none teaches or suggests the claimed rib angle of approximately 90°.

With the exception of i) the amendment to the specification, ii) new claims 43-45, iii) the argument relating to the amendment of the specification in section IV. Remarks, and iv) the new argument in Remarks item #11, the other rejections and arguments are presented *verbatim* as in the amendment filed 12 April 2007.

Amendment

I. In the Drawings.

1. None.

II. In the Specification

1. Please amend the paragraph at page 4, lines 1-14 as follows:

A pulley engaging surface 25 describes a ribbed profile which ribs extend longitudinally along a belt body length. The pulley engaging surface further comprises a fiber loading. The fibers may comprise cellulose, aramid, polyester, cotton,

nylon, carbon, acrylic, polyurethane, glass individually or in combination, or any other equivalent material(s) known in the art. The fibers have a length of approximately 18 μm and a thickness of approximately 15 μm in the preferred embodiment, although it is acceptable for the fibers to have a length in the range of approximately 10 μm to 30 μm and a thickness in the range of approximately 10 μm to 20 μm . The fibers are loaded in the elastomeric in an amount of approximately 25 to 30 phr with the preferred amount of approximately 28.7 phr.